


Model SC32-AI-PT-B

3MP Wi-Fi Battery Camera Panoramic




Key Features

- 3MP HD 1920x1080
- Audio two-way intercom
- Wi-Fi Hotspot
- supports horizontal rotation
- Record video when human walks
- P6SL Protocol for NVR connection
- Accurate Human Detection and Tracking
- Call cell phone by Remote Control
- Pan 0-180°



Specifications

SC32-AI-PT-B	
Model	SC32-AI-PT-B
Program	
Main chip	Ingenic T31
Wi-Fi Module	Hi3861LV100
Imaging device	1/3" 1080P HD quality
Video coding standard	H.264
Effective resolution	Main stream: 1920x1080
Output bit rate	Main stream: 1040kbps/15fps, Secondary stream: 120kbps/10fps
Stream support	Dual stream
Day and night mode	Intelligent dual light source night vision fill light
Video output	P6SLite client
Motion detection	Support
Capture function	Support
Audio	Audio two-way intercom
Audio input	Omnidirectional electret microphone
Audio output	External 8Ω-1W speaker
Video management	Recording method Humanoid alarm recording, humanoid filtering
Alarm recording	Video storage 8G-128G memory card
Cloud storage	P6SLite support
Network	Wi-Fi Band 2.4G



Network Support	IEEE 802.11b/g/n Open WEP, WPA, WPA2, WPA3 Encryption
Network Protocol	TCP/IP, TCP, UDP, SMTP, DHCP, DNS, P2P
Wi-Fi	Built-in 2.4GWIFI antenna
Working environment	Working temperature: -10°C~+55°C
PTZ control	Supports horizontal rotation
Storage method	TF/cloud storage
Pan	0-180°
Support APP	P6SLite
Dimension(L * W * H)	73*120*80 mm
The bare weight	340.1g
Finished weight	600g
Material	ABS+PC

Dimensions

